# MASTER-DENT®

## PRODUCT OVERVIEW

CEMENTS & LINERS
CORE BUILD-UP
COMPOSITES
RESTORATIVES
ENDODONTICS
IMPRESSION
TOOTH WHITENING
IOUIN WHITEINING
ORTHODONTIC
-
ORTHODONTIC
ORTHODONTIC

## Simply Dental | Simply Priced







#### **TEMPORARY CROWN & BRIDGE MATERIAL** AUTOMIX CARTRIDGE SYSTEM

- Transient flexibility
- No polishing necessary
- No oxygen inhibition layer
- Less exothermic reaction
- Smooth finish



## BONDING

#### ULTIMATE<sup>™</sup> BOND

LIGHT CURE ADHESIVE ONE COMPONENT

- One-step bonding agent - Bonds chemically to all restorative materials
- Excellent biocompatibility
- Relieves hypersensitivity
- Root surface desensitization



#### TOPICAL ANESTHETIC

- Rapid 30 second action
  - 4 great flavors Bubble Gum, Mint, Cherry, and Strawberry
  - No bitter aftertaste



#### ULTIMATE<sup>™</sup> SE BOND

LC SELF ETCHING ADHESIVE, ONE COMPONENT

- Excellent shear bond strength
- Direct Light Cure Composite/Compomer restorations
- Treatment of hypersensi tive and/or exposed root surfaces
- Intraoral repairs of fractured facing crowns
- Surface treatment of
- prosthetic appliances



## **CORE BUILD-UP**

**DUAL CURE & SELF CURE** (AUTOMIX)

- Automix System
- Optimized consistency and rheological characteristics
- Consistent working and
- curing times
- Good mechanical strength
- Excellent x-ray opacity
- Available in Natural and White



#### SELF CURE

(PASTE-PASTE)

- Creamy smooth formulation, non-slumping
- High compressive strength
- Radiopaque
- Matched-viscosity pastes
- Easy application and sets hard in minutes - no delay

## FINISHING & POLISHING

#### DIAMOND PASTE

- Pure diamond powder for high gloss finish
- Ideal for polishing porcelain, composites, amalgam and castings
- Non-splatter formula and easy washout
- High purity, non-toxic ingredients

#### POLISHING PASTE

- Ideal for composite,
- amalgam, castings - Non-drying and cohesive
- consistency - Non-splatter formulation
- Water soluble for easy rinsing and clean-up

### EVERYDAY ESSENTIALS. FROM ADHESIVE TO ZINC OXIDE.

## ETCHING

#### GEL ETCH (GREEN/BLUE)

- 37% Phosphoric Acid Formula
- Accurate placement, does not run, rinses easily without residue
- Vivid Blue or Green for visual confirmation
- Various Syringe sizes available

#### LIQUID & VISCOUS ETCH (GREEN)

- 37% Phosphoric Acid Formula
- Liquid Etch used to
- enhance adhesion and mechanical retention
- Viscous Etch is thicker
- than liquid etch, but
- thinner than gel etch, and will not run



## **IMPRESSION MATERIALS**

#### VPS IMPRESSION MATERIAL

50ml (1:1) & 380ml (5:1) CARTRIDGES

**BITE REGISTRATION** 

- Bite registration of occlusal relationship

- Super-hydrophilic
- Exceptional dimensional stability and accuracy
- Ideal working time/setting time ratio

- Mousse-like properties - Hard set (80-durometer)

- Will not run, slump or sag

- Superb dimensional stability

- Thixotropic
- High tear strength



- Precise reproduction of detail
- Highly accurate impressions
- Strong dimensional stability
- High tear resistance



#### PRESSURE INDICATOR PASTE

- Fast and ready to use brush on and wipe off
- Built-in consistency remains constant, regardless
- of temperature
- Accurately identifies high
- spots





For over 35 years, Dentonics has been manufacturing dental supplies in the USA for dealers worldwide. Email international@dentonics.com to schedule a meeting at your next trade show





- Choice of three

setting times

### **EVERYDAY** ESSENTIALS. **FROM ADHESIVE** TO ZINC OXIDE.

## COMPOSITES & RESTORATIVES

#### FLOW COMPOSITE

LC FLOWABLE COMPOSITE

- Fast application
- Low viscosity, high flow
- characteristics - Multipurpose light cure material
- Excellent polishability
- Superior color stability
- High adhesive strength to etched or mechanically roughened surfaces without need for bonding agents

#### MASTER-FIL<sup>™</sup> MICRO

MICROHYBRID LC UNIVERSAL COMPOSITE

- Microhybrid particle size delivers strength with superb aesthetics and microfill polishability

MASTER-FIL<sup>™</sup> NANO

- Condenses easily to maintain
- anatomy as carved - High abrasion resistance

NANOHYBRID LC UNIVERSALCOMPOSITE

nano-filler system

instruments

- Direct aesthetic restoration of

anterior and posterior teeth

- High viscosity resists sticking to

- Sufficient flow adapts to cavity wall

- Proprietary state-of-the-art

- Low polymerisation shrinkage
- Does not stick to
- instruments
- Radiopaque



#### MASTER-FIL<sup>™</sup> BULKFILL

UNIVERSAL LC COMPOSITE

- Speedy single layer technique - Up to 6.5mm depth of cure in
- one layer
- One universal shade for a natural appearance and economic use
- Quick and easy placement for shorter chair time
- Packable consistency for easy handling



#### CHEMICAL CURE COMPOSITE

- High compressive strength (210 MPa)
- Low water solubility - Quick setting - no need
- for incremental layering as with light cure materials
- Cuts like dentin
- Radiopaque



#### **GLASS IONOMER LC**

**RESIN REINFORCED** 

- Dual curing feature provides strength and control
- High compressive & flexural strength
- Excellent shear bond strength
- Strong adhesion to tooth structure – no primer required
- High fluoride release for prevention of secondary caries
- HEMA free for low allergy risk



DENTONICS



PACKABLE RESTORATIVE

- Superb translucency for an
- excellent appearance - Contains fluorescent additive
- High compressive strength



- Excellent biocompatibility minimizes pulpal reaction

#### **GLASS IONOMER** RESTORATIVE

- One-step bonding agent
- Bonds chemically to all restorative materials
- Excellent biocompatibility
- Relieves hypersensitivity
- Root surface
















## ENDODONTICS

#### MTA

ROOT TREATMENT & VITAL PULP THERAPY

- Unique Powder/Gel format
- improves resistance to washout
- Finer powder for faster hydration
- Improved Radiopacity
- Strong Sealing Properties
- Anti-humidity packaging
- Biocompatible



#### CALCIUM HYDROXIDE PASTE

- Provides the full benefits of calcium hydroxide in root canal therapy.
- Water soluble for easy removal
- Excellent antibacterial effect
- Barium Sulfate provides high radiopacity.

#### N-METHASONE PERMANENT ROOT CANAL

FILLING MATERIAL

- Radiopaque for easy short & long-term follow up
- After final obturation, neither retracts nor resorbs
- Antiseptic and anti-inflammatory properties to reduce post-operative trauma
- Powder/liquid presentation to adjust viscosity





#### EUGENOL

(USP GRADE)

- Versatile antiseptic and analgesic liquid
   Ideal as an antiseptic in
- Ideal as an antiseptic in root canal therapy
   Mixed with zinc oxide
- powder for temporary cements
- Mixed with zinc oxide and resins as a perio dressing



#### ROOT CANAL SEALER/CEMENT

- Expands slightly upon setting to create a positive seal
- Powder/liquid presentation allows adjustment of viscosity to the technique required
- Barium Sulfate gives radiopacity for follow up
   Cementation of Gutta
- Percha points in root canal obturation



#### RC LUBE

- Smooth, gel-like consistency clings to files,
- Viscous formula lubricates and assists precise placement
- Efficient movement of endo instruments without binding
   Water soluble

#### FORMO-CRESOL

- Treatment of putrescent or necrotic pulps
- Temporary medicament during root canal therapy



#### EDTA SOLUTION

- Ideal for temporary root filling
- Direct and indirect pulp capping
- Base under non-adhesive restorations
- Bactericidal effect



#### TEMPORARY FILLING MATERIAL

LIGHT CURE & SALIVA CURE

- Temporary filling of cavities, temporary sealing of inlays and temporary fixing of post crowns.
- Saliva cure format for simple, quick and effective application
- Light Cure format for predictable results, deep cure, high wear resistance, strong resistance to oral fluids and easy to remove in one piece



#### CALCIUM HYDROXIDE POWDER

- Ideal for temporary root filling
- Bactericidal effect
- Base under non-adhesive restorations
- Direct and indirect pulp capping




#### ZINC OXIDE POWDER (USP GRADE)

- Finely milled, medical grade zinc oxide
- Used for temporary dressing
  Mixed with eugenol as a
- temporary crown and bridge cement
- Ideal cavity liner under most restorative materials



## CEMENTS & LINERS



formulation



- of 37 MPa
- Superior adhesion and easily removed



## CEMENTS & LINERS

#### COPAL PLUS VARNISH

- Insulates against thermal and electric shock
- Provides a strong bond between dentin and restoration
- A chloroform free formula of varnish and solvent



#### DESENSITIZER

- Seals dentinal tubules fast - Relieves pain caused by
- Retieves pair caused b hypersensitivity
   Benzalkonium chloride
- inhibits bacterial growth



## PREVENTATIVES

#### PIT & FISSURE SEALANT LIGHT CURE

LIGHT CURE

- Excellent flow properties - Good stability and adhesion
- Good stability and adhesion to enamel
- Quick and direct application via angled tips
- Clear or Opaque formula

#### PIT & FISSURE SEALANT SELF CURE

- High wear-resistance
- Ideal Flowable viscosity
- Cost effective - Clear or Opaque
- formula



#### PROPHYLAXIS PASTE

- Excellent stain removal effective prophylaxis
- Superior Polishing Performance
- Rinses easily and leaves high luster
- Specially formulated abrasive matrix
- Variety of flavors and grits
- Gluten Free



#### 2% NEUTRAL SODIUM FLUORIDE GEL

- Neutral pH perfect non-acidic balance compatible with porcelain and cosmetic restorations
- Ideal where tooth sensitivity, root caries exists
- 4 minute application
- Gluten-free

#### AASTERDON' AMUTAL AMUTA

#### APF FLUORIDE GEL

- Low pH maximum fluoride uptake
- Fast application 60 seconds
- Vitamin E natural antioxidant and desensitizer
- New smaller size and new flavors!



#### PROPHY POWDER

- No clogging due to
- optimum particle size
- Minimally abrasive
- Mint or Lemon flavor

- Available in 300g or 600g bottles or bulk 4,5kg (10lb)or 22.7kg (50lb) containers



# DENTONICS

#### EVERYDAY ESSENTIALS. FROM ADHESIVE TO ZINC OXIDE.



## ORTHODONTIC

#### LC ORTHODONTIC **ADHESIVE**

- Light cure.
- Bonds plastic, metal or porcelain brackets to etched enamel
- Flows well and eliminates bracket flotation

**GLASS IONOMER** 

LUTING CEMENT

- Contains fluoride, reducing

incidence of decalcification

- Chemically bonds to enamel

without etchant

- Low film thickness

- Does not wash out under bands

- On demand setting for complete control
- No mixing required



#### NO-MIX BRACKET **ADHESIVE**

- Primer activated no-mix bonding system - Strong adhesion to ceramic,
- metal, or plastic brackets - Viscous tacky resin handles
- easily and eliminates bracket flotation
- Archwires can be bonded after just 4 minutes

ORTHODONTIC

PRIMERS

- Improves bondina of

dental adhesives to

porcelain and metal



#### LC ORTHODONTIC **BAND CEMENT**

- Single paste light-activated band cement
- Longer working time and rapid setting time
- Can be placed directly into bands
- Excess flash is easy to clean up prior to light curing
- Contains fluoride, reducing incidence of decalcification

#### PLASTIC BRACKET PRIMER

- Used for priming plastic brackets in conjunction with self-cure orthodontic adhesives



## WHITENING

#### SYNERGY

TOOTH WHITENING

- Fast acting, short treatment times
- Up to 6 applications per automix syringe
- Low sensitivity/tissue irritation
- Rejuvenates tooth enamel through remineralization

#### VIVACITY TOOTH WHITENING

- Sticky, viscous gel does not melt and ensures tray stays in position to protect soft tissue
- Gentle yet effective
- Acts fast without sensitivity - 10% and 16% concentration
- Carbamide Peroxide available - Fresh peppermint taste

#### **BLUE BLOCK-OUT** MATERIAL

- Blue contrasting shade enables easier application on model
- Low viscosity for easy flow - Also repairs small fractures or voids in laboratory models

#### FOR OUR FULL RANGE OF PRODUCTS AND MORE DETAILED INFORMATION

WWW.DENTONICS.COM

## manufactured by DENTONICS



